



COLOUR SHADES AND LUSTRE IN COMPLETE HARMONY

The stone caves of Minas Gerais in Brazil is the design inspiration behind the smooth shades and colour behind Lavagna collection.







Bianca LVO1N Grigio LVO2N

FIVE SIZES TO MULTIPLY DESIGN CREATIVITY FOR MODERN ARCHITECTURE.

600 x 1200




DECORS MOSAIC


Every piece is hand-crafted with geometry and symmetry in mind, cut using the latest water jet technology and assembled by hand to create a fascinating tile tapestry in your home.



LAVAGNA 2.0

Glazed Porcelain Tiles 3 colours | 1 size | 1 surfaces





Technical Specification LAVAGNA 2.0

Type Of Test		Standard Test MS IS013006	ISO Standard Requirement	Feruni
Dime	nsions & Surface Quality			
•	Length & Width	ISO 10545-2	± 0.6%	± 0.2%*
<u> </u>	Thickness	ISO 10545-2	± 5.0%	±5.0%
	Straightness of Sides	ISO 10545-2	± 0.5%	± 0.2%
	Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
•	Surface Flatness - Centre Curvature - Edge Curvature - Warpage	ISO 10545-2 ISO 10545-2 ISO 10545-2	± 0.5% ± 0.5% ± 0.5%	± 0.2% ± 0.2% ± 0.2%
	Surface Quality	ISO 10545-2	≥95% free from visible defect	≥95% free from visible
Physi	cal Properties			
4	Water Absorption	ISO 10545-3	Group Bla, E ≤ 0.5%	Group Bla, E ≤ 0.2%
#	Brea king Strength	ISO 10545-4	≥ 1300N	≥ 1500N
*	Modulus of Rupture	ISO 10545-4	Min. 35N/mm²	Min. 38N/mm²
\$	Surface Abrasion (PEI)	ISO 10545-7	Class2-5	Class 3
J	Thermal Shock	ISO 10545-9	No Visible Crack	No Visible Crack
Chem	ical Properties			
8	Chemical Resistance	ISO 10545-13	Minimum Class GB	GA
*	Stain Resistance	ISO 10545-14	Min Class 3	Min Class 3