



Wall // Stone Beige FR03G 400x400mm

FLAIR

STYLISH ESSENCES

With shades and tones that flow naturally through both residential and commercial projects, these tiles are the perfect medium to showcase personal flair and uniqueness.



MODERN MOOD

These versatile tiles create a polished, finishing touch that gives contemporary interior design a new personality.

1 SIZE FOR ALL


One size to fit multiple spaces.




Butter **FR01G**



Sand **FR02G**



Stone Beige **FR03G**



Golden Cream **FR04G**

Features:

8.4mm
THICKNESS

NON-RECTIFIED

V₂ SLIGHT
VARIATION

Applications:

MIN. 3mm

WALL

FLOOR

Surface:

G Glossy

AVAILABLE COLOURS:



Butter **FR01G**



Sand **FR02G**



Stone Beige **FR03G**



Golden Cream **FR04G**

Technical Specification
FLAIR

Type Of Test	Standard Test MS ISO13006	ISO Standard Requirement	Feruni
Dimensions & Surface Quality			
Length & Width	ISO 10545-2	± 0.6%	± 0.6%
Thickness	ISO 10545-2	± 5.0%	± 5.0%
Straightness of Sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.6%	± 0.6%
Surface Flatness			
- Centre Curvature	ISO 10545-2	± 0.5%	± 0.5%
- Edge Curvature	ISO 10545-2	± 0.5%	± 0.5%
- Warpage	ISO 10545-2	± 0.5%	± 0.5%
Surface Quality	ISO 10545-2	≥95% free from visible defect	≥95% free from visible defect
Physical Properties			
Water Absorption	ISO 10545-3	Group BIa, 3% < E ≤ 6%	Group BIa, 3% < E≤ 6%
Breaking Strength	ISO 10545-4	≥ 600N	≥ 600N
Surface Abrasion (PEI)	ISO 10545-7	Class 2 - 4	Class 2 - 4
Crazing Test	ISO 10545-7	No Crazing	No Crazing
Chemical Properties			
Chemical Resistance	ISO 10545-13	Minimum GB	Minimum GB
Stain Resistance	ISO 10545-14	Min. Class 3	Min. Class 3