VIRGIN OAK

natural wood design

Feruni
CERAMICHE

WOOD MOOD

This series bring to life the warm tones and refined veins of oak, which is made possible through the passages of time that delivers the varying shades and patterns of this refined wood. In this series, these wonderful traits have been further treated to highlight the veins underlining the magnificence of oak.

FERUNI ACTIVESURFACE™ ANTIMICROBIAL TILE

Virgin Oak finished with **Feruni ActiveSurface**, the first in Malaysia to offer round-the-clock protection against microbes on tile surfaces. Floors and walls installed with **Feruni ActiveSurface** tiles offer the widest coverage of surface area to ensure a healthy living environment.

Nature's tranquillity

The captivating and calming effects of uncontaminated forests, especially the Oak tree species, have brought us the latest development of the Virgin Oak series. This collection utilises high-tech graphic design and technology to draw out the serene nature of untouched forest ambiance in every home.

surface

Add more flavour to your home with 2 choices of surfaces: natural and structured surface or the combination of both surfaces for a more intimate personalisation.

digital printing

Achieving the optimum natural variation design with state-of-art technology.

rectified tile

Rectified tiles are made more precise or exact in size for best uniformity, an extra care we undertake for a consistent finish every time.

durable

PEI 4: suitable for floor covering from moderate to heavy traffic areas such as hotels, commercial kitchen, foyer and offices.



200x1200
8"x48"

150x1200
6"x48"

A Wall // Beige **VG03ST**
150x1200mm

B Feature Wall // Decor
VG34MSX *300x300mm*

C Floor // Beige **VG03N & VG03ST**
200x1200mm & 150x1200mm

D Wall // Limestone series decor
LM01MSN *75x200mm*

FUNCTIONAL THINKING

A fantastic replica of oak wood qualities in a porcelain tile, bringing with it durability, cost reduction, ease of maintenance and best of all, ease of matching with household furnishing for the best presentation. Virgin Oak effortlessly delivers the glamour and luxurious feel and touch that you desire for your environment.

Feature Wall // Decor
VG34MSX *300x300mm*

VG34MSX *300x300mm*

DIAGONAL DECOR

Virgin Oak decor is diagonally cut to create a design reminiscent of classy and trendy patterns that deliver timeless alluring presentation to every space. It effortlessly captures attention to stimulate any basic and monotonous wall or floor by adding flavour in every room with seamless elegance.

DUAL SURFACE • DUAL SIZE

To add personality and an exceptional dimension, there are 2 surfaces at one's disposal: natural and structured surface or the combination of both surfaces for a more intimate personalisation. Also available is the extended size of 150x1200mm & 200x1200mm for a true authentic appeal.

Floor // Beige **VG03N & VG03ST**
200x1200mm & 150x1200mm

Wall //
VG Modular 15

MODULAR SIZES

With Feruni's Modular Sizes, a few sizes of tiles are combined in a box to form exceptional patterns when installed. Complex patterns are now within reach with precision pre-cut sizes for easy assembly. Calculating the quantity needed for different sizes is simplified and made easy in a box.

Three sizes and colour of parallelogram tiles to form stunning chevron patterns. No more worries or complications in ordering the right and left piece of chevron, as **Modular 15** comes complete in sets and are all combined in a box.

Coverage area: 1.2m²

3 different sizes blended in each carton

Size: Multi
Thickness: 11.5mm
Surface: Natural
Varation: V2
Application: indoor & outdoor

Laying Pattern 1

Laying Pattern 2

A | 150x590mm VG04N *(8 pcs)*
B | 100x540mm VG03N *(8 pcs)*
C | 75x515mm VG02N *(12 pcs)*

FEATURES	APPLICATION	SURFACES
11.5mm Thickness	Wall Tiles	N Natural
Rectified Edge	Floor Tiles	ST Structured
V2 Slight Variation	Min. Laying Gap, 3mm	

THE STUDY OF COLOUR

There are 4 colours available, from exciting and contrasting hues to soothing yet matching tones, which resemble the layers of life experiences reflected in both the old and modern but precious element of wood.

Bianco **VG01N/ST** - 150x1200mm

Beige **VG03N/ST** - 150x1200mm

Bianco **VG01N/ST** - 200x1200mm

Beige **VG03N/ST** - 200x1200mm



Tortora **VG02N/ST** - 150x1200mm



Wenge **VG04N/ST** - 150x1200mm

Tortora **VG02N/ST** - 200x1200mm



Wenge **VG04N/ST** - 200x1200mm

Sizes



Decor - *300x300mm*

VG23MSX

VG24MSX

VG34MSX

3 type of laying pattern

laying pattern 1

laying pattern 2

laying pattern 3

Natural Wood Design | Glazed Porcelain Tile

FEATURES	APPLICATION	SURFACES
11.5mm Thickness	Wall Tiles	N Natural
Rectified Edge	Floor Tiles	ST Structured
V_2 Slight Variation	Min. Laying Gap, 3mm	

Bianco **VG01N/ST**

Tortora **VG02N/ST**

Beige **VG03N/ST**



Wenge **VG04N/ST**

TECHNICAL SPECIFICATION

TYPE OF TEST	STANDARD TEST **MS ISO13006**	**ISO STANDARD** REQUIREMENT	**FERUNI**
Dimensions & Surface Quality			
Length & Width	ISO 10545 - 2	± 0.6%	± 0.2%*
Thickness	ISO 10545 - 2	± 5.0%	± 5.0%
Straightness of Sides	ISO 10545 - 2	± 0.5%	± 0.2%
Rectangularity	ISO 10545 - 2	± 0.5%	± 0.2%
Surface Flatness • Centre Curvature • Edge Curvature • Warpage	 ISO 10545 - 2 ISO 10545 - 2 ISO 10545 - 2	 ± 0.5% ± 0.5% ± 0.5%	 ± 0.2% ± 0.2% ± 0.2%
Surface Quality	ISO 10545 - 2	≥ 95% free from visible defects	≥ 95% free from visible defects
Physical Properties			
Water Absorption	ISO 10545 - 3	Group BIa, E ≤ 0.5%	Group BIa, E ≤ 0.2%
Breaking Strength	ISO 10545 - 4	≥ 1300N	≥ 1500N
Modulus of Rupture	ISO 10545 - 4	Min. 35N/mm²	Min. 38N/mm²
Surface Abrasion (PEI)	ISO 10545 - 7	Test Method Available	Class 4
Thermal Shock	ISO 10545 - 9	No visible Crack	No visible Crack
Chemical Properties			
Chemical Resistance	ISO 10545 - 13	Minimum GB	No visible effect (GB)
Stain Resistance	ISO 10545 - 14	Min. Class 3	Min. Class 3
Determination of anti-slip properties	DIN 51130	R9 to R13	R10

* For size ≤200mm, the length & width is ±0.4mm

sizes	pcs / ctn	ctn / plt	m² / ctn	kg / ctn	kg / plt
200x1200 / 8”x48”	4	42	0.96	23	966
150x1200 / 6”x48”	4	56	0.72	17	952

MODULAR SIZES

CODE	sizes	pcs / ctn	ctn / plt	m² / ctn	kg / ctn	kg / plt
VG MODULAR 15	multi-size	1 set	40	1.20	36.25	1450

www.feruni.com

Feruni Ceramiche Sdn Bhd
No.12, Jalan 51A/213, Seksyen 51A, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
T: +603 7784 7277 **F:** +603 7784 7727 **E:** enquiry@feruni.com