

NOSTALGIA

TIMELESS EXISTENCE

With its timeworn aesthetic, Nostalgia provides a contemporary take on the timeless cement design in the modern era. The concrete effect of Nostalgia is subtly vibrant and functional, bringing new interest to an ageless look with its simple surface and warm tones.


The material, colours and sizes have been carefully selected to allow the creation of various design schemes for a unique personality.



Grigio Chiaro NG02N 750 x 750mm

4 MODERN COLOURS


Four different shades - Sand, Grigio Chiaro, Boron and Nero - stand alone or coordinate harmoniously in diverse interior and architectural applications.




Sand NG01N



Grigio Chiaro NG02N



Boron NG03N



Nero NG04N



A TACTILE SURFACE

A surface accentuated by its tactile appeal to bring personality to every room.

Floor // Sand **NG01N** 750 x 750mm

STATEMENT PIECE

These interlocking hexagons feature a line running through their centres for an added touch of visual stimulation.



Size: 152.5 x 286.8mm

Thickness: 10.5mm

Surface: Natural

Variation: Slight Variation (V2)


Application: Wall & Floor

3 VERSATILE SIZES


A variety of dimensions are made to fit diverse applications.



600 x 1200



750 x 750



375 x 750



Wall // Decors **NG02MSN** 152.5 x 286.8mm

Cement Design

NOSTALGIA

Glazed Porcelain Tiles
4 colours | 3 sizes | 1 surface

Features:



RECTIFIED



SLIGHT
VARIATION

Applications:



MIN. 3mm



WALL




FLOOR

Surface:

N Natural


AVAILABLE COLOURS:



Sand **NG01N**



Grigio Chiaro **NG02N**



Boron **NG03N**



Nero **NG04N**

DECORS:

152.5 x 286.8mm



NG01MSN



NG02MSN




NG03MSN




NG04MSN


SIZES:



750x750



600x1200




375x750




Sand **NG01N**



Grigio Chiaro **NG02N**



Boron **NG03N**



Nero **NG04N**

Technical Specification
NOSTALGIA

Type Of Test	Standard Test MS ISO13006	ISO Standard Requirement	Feruni
Dimensions & Surface Quality			
 Length & Width	ISO 10545-2	± 0.6%	± 0.2%*
 Thickness	ISO 10545-2	± 5.0%	±5.0%
Straightness of Sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
 Surface Flatness			
- Centre Curvature	ISO 10545-2	± 0.5%	± 0.2%
- Edge Curvature	ISO 10545-2	± 0.5%	± 0.2%
- Warpage	ISO 10545-2	± 0.5%	± 0.2%
 Surface Quality	ISO 10545-2	≥95% free from visible defect	≥95% free from visible
Physical Properties			
 Water Absorption	ISO 10545-3	Group BIa, E ≤ 0.5%	Group BIa, E ≤ 0.2%
 Breaking Strength	ISO 10545-4	≥ 1300N	≥ 1500N
 Modulus of Rupture	ISO 10545-4	Min. 35N/mm ²	Min. 38N/mm ²
 Surface Abrasion (PEI)	ISO 10545-7	Class 2-5	Class 3
 Thermal Shock	ISO 10545-9	No Visible Crack	No Visible Crack
Chemical Properties			
 Chemical Resistance	ISO 10545-13	Minimum Class B	GA
 Stain Resistance	ISO 10545-14	Min Class 3	Min Class 3